



SAFETY DATA SHEET

Issued on 03/24/2015 - Rel. # 2 on 07/31/2014

GELSOL

1 / 9

In conformity to Regulation (EC) No 453/2010 of 20 May 2010

SECTION 1. Identification of the substance/mixture and of the company/enterprise

1.1. Product identifier

Product name : GELSOL
Product code: refer to sales department

1.2. Relevant identified uses of the substance or mixture and uses advised against

Clarifying Agents
Industrial Manufacturing[SU3], Manufacture of food products[SU4], Public domain (administration, education, entertainment, services, craftsmen)[SU22]
Process aid for enological use
Not recommended uses
Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

AEB SpA - Via Vittorio Arici 104 S.Polo - 25134 Brescia (BS) Italy Tel. +39.030.2307.1 Fax +39.030.2307281

E-mail: info@aeb-group.com - Internet: www.aeb-group.com

E-mail tecnico competente/technical dept./Kompetenzzentrum: sds@aeb-group.com

Produced by
AEB SpA
Via Vittorio Arici 104 S. Polo
25134 Brescia

1.4. Emergency telephone number

Centralino/Switchboard/Telefonzentrale +39.030.2307.1 - (h 8.30-12.00 13.30-18.00)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

None

Hazard Class and Category Code(s):

Non hazardous

Hazard statement Code(s):

Non hazardous

2.1.2 Classification according to Directive 1999/45/EEC:

Classification:

Non hazardous

Nature of special risks attributed:

None in particular.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):

None

Hazard statement Code(s):

Non hazardous

Supplemental Hazard statement Code(s):

EUH031 - Contact with acids liberates toxic gas.

Precautionary statements:

None in particular.

Contains:

POTASSIUM BISULPHITE - (<Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg or 10 mg/litre expressed as SO₂> in compliance with Directive CE 68/2007 and subsequent additions and modifications), PORK GELATINE

Only for professional use

For limited use in foodstuffs: enological

2.3. Other hazards

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

SECTION 3. Composition/information on ingredients**3.1 Substances**

Irrelevant

3.2 Mixtures

Refer to paragraph 16 for full text of risk phrases and hazard statements

| Substance | Concentration | Classification | Index | CAS | EINECS | REACH |
|----------------------|---------------|--------------------------------------|-------|-----------|-----------|-------|
| PORK GELATIN | > 50 <= 100% | | | 9000-70-8 | 232-554-6 | |
| POTASSIUM BISULPHITE | > 0,1 <= 1% | Xi; R36/37 R31 Eye Irrit. 2, H319 | | 7773-03-7 | 231-870-1 | |

SECTION 4. First aid measures**4.1. Description of first aid measures**

Inhalation:

Ventilate the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water for at least 10 minutes.

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or medicinal mineral vaseline oil.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5. Firefighting measures



SAFETY DATA SHEET

Issued on 03/24/2015 - Rel. # 2 on 07/31/2014

GELSOL

3 / 9

In conformity to Regulation (EC) No 453/2010 of 20 May 2010

5.1. Extinguishing media

Suggested extinguishing media:

Water spray, CO2, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing media to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective clothing.

The water spray can be used to protect the people involved in the extinction.

You may also use self-contained breathing apparatus, especially when working in confined and poorly ventilated areas and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

6.1.2 For emergency responders:

Wear gloves and protective clothing

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provide a sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spills with earth or sand.

If the product has entered a watercourse, sewers or has contaminated soil or vegetation, notify the authorities.

Dispose of the waste material in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 Containment:

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 Cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors or dust. See also paragraph 8 below.

At work do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabelled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store room temperature, do not store at temp. < 10°C, away from heat sources and direct exposure to sunlight.

7.3. Specific end use(s)

Industrial Manufacturing:

Handle with extreme caution.

Store in a well ventilated place away from heat sources.

Manufacture of food products:

Handle with care.

Store in a clean, dry, ventilated area away from heat and direct sunlight.

Keep container tightly closed.

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care. Store in a ventilated area and away from heat, keep the container tightly closed.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

=====
Related to contained substances:

GELATIN

ACGIH-TLV: n.d.

OSHA-PELV: n.d.

POTASSIUM BISULPHITE

TLV STEL: 0.25 ppm (SO₂)

8.2. Exposure controls



Appropriate engineering controls:

Industrial Manufacturing:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Manufacture of food products:

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Public domain (administration, education, entertainment, services, craftsmen):

No specific monitoring foreseen (act according to good practice and specific rules for the type of risk associated)

Individual protection measures:

(a) Eye / face protection

Wear protective goggles (EN 166).

(b) Skin protection

(i) Hand protection

Wear protective gloves (EN420).

(ii) Other

Wear normal work clothing.

(c) Respiratory protection

Not required when proper ventilation is provided. Alternatively use protective mask.

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

=====
Related to contained substances:

GELATIN

Respiratory protection: the use of mask recommended to avoid possible discomfort caused by breathing in dust, although not dangerous.

Hand protection: not required

Eye protection: use protective eyewear is recommended in order to avoid possible discomfort caused by long exposure

to dusts, although not dangerous.

Skin protection: not required

POTASSIUM BISULPHITE

Eye protection: safety goggles. Use closed safety masks, do not use eye lenses.

Skin protection: Wear clothing granting a total protection of the skin, eg. cotton, rubber, PVC or viton.

Hand protection: Use protective gloves granting a total protection, e.g. in PVC, rubber or neoprene.

Respiratory protection: where there is inadequate ventilation or prolonged exposure, employ a device for the respiratory protection, e.g. CEN/FFP-2 (S) or CEN/FFP-3 (S).

Thermal hazards: none

Environmental exposure controls: none

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical and chemical properties | Value | Determination method |
|--|---------------------|----------------------|
| Appearance | Yellow clear liquid | |
| Odour | not determined | |
| Odour threshold | not determined | |
| pH | 5,6 ± 0,5 (20°C) | |
| Melting point/freezing point | not determined | |
| Initial boiling point and boiling range | not determined | |
| Flash point | irrelevant | ASTM D92 |
| Evaporation rate | irrelevant | |
| Flammability (solid, gas) | irrelevant | |
| Upper/lower flammability or explosive limits | irrelevant | |
| Vapour pressure | irrelevant | |
| Vapour density | irrelevant | |
| Relative density | 1,20 ± 0,05 (20°C) | |
| Solubility | not determined | |
| Water solubility | not determined | |
| Partition coefficient: n-octanol/water | not determined | |
| Auto-ignition temperature | irrelevant | |
| Decomposition temperature | irrelevant | |
| Viscosity | not determined | |
| Explosive properties | irrelevant | |
| Oxidising properties | irrelevant | |

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

=====

Related to contained substances:

POTASSIUM BISULPHITE

Stable under normal conditions

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

It can generate flammable gases in contact with elementary metals, nitrides, inorganic sulfide, strong reducing agents. It can generate toxic gases in contact with inorganic sulfide, strong reducing agents.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information**11.1. Information on toxicological effects**

ATE(mix) oral = 0,0 mg/kg

ATE(mix) dermal = 0,0 mg/kg

ATE(mix) inhal = 0,0 mg/l/4 h

(a) acute toxicity: not applicable

(b) skin corrosion/irritation: not applicable

(c) serious eye damage/irritation: not applicable

(d) respiratory or skin sensitization: not applicable

(e) germ cell mutagenicity: not applicable

(f) carcinogenicity: not applicable

(g) reproductive toxicity: not applicable

(h) specific target organ toxicity (STOT) single exposure: not applicable

(i) specific target organ toxicity (STOT) repeated exposure: not applicable

(j) aspiration hazard: not applicable

Health Hazards:

Eye contact: Accidental contact of product with eyes may cause irritation.

Skin Contact: Product is not an irritant. Prolonged or repeated contact may defeat and irritate the skin and cause dermatitis in some cases.

Ingestion: The ingested product may cause irritation of the mucous membranes of the throat and digestive system leading to digestive symptoms and abnormal bowel disorders.

Inhalation: Prolonged exposure to vapours or mists of product may cause respiratory irritation.

SECTION 12. Ecological information**12.1. Toxicity**

Use according to good working practices and avoid to disperse the product into the environment.

=====

Related to contained substances:

GELATIN

Product is not toxic, although if downloaded in water, due to its high concentration of organic matter, may cause

eutrophication of waters.

POTASSIUM BISULPHITE

Use according to good working practices, avoiding to disperse the product into the environment.

12.2. Persistence and degradability

=====

Related to contained substances:

GELATIN

Readily biodegradable.

POTASSIUM BISULPHITE

None

12.3. Bioaccumulative potential

=====

Related to contained substances:

POTASSIUM BISULPHITE

None

12.4. Mobility in soil

=====

Related to contained substances:

GELATIN

Totally soluble in water, so that its migration in the waters near the locate application possible.

POTASSIUM BISULPHITE

None

12.5. Results of PBT and vPvB assessment

The substance / mixture does NOT contain substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

SECTION 14. Transport information

14.1. UN number

Not included in the field of application of regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Transport in bulk is not foreseen

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Leg. 3/2/1997 n. 52 (Classification, packaging and labeling of dangerous substances). Decree No. 14/3/2003. 65 (Classification, packaging and labeling of dangerous substances). Leg. 2/2/2002 n. 25 (risks related to chemical agents at work). Ministerial Decree Jobs 26/02/2004 (occupational exposure limits); DM 04/03/2007 (Implementation of Directive no. 2006/8/EC). Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP), Regulation (EC) n. 790/2009.D.Lgs. September 21, 2005 n. 238 (Seveso Directive Ter).

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information**16.1. Other information**

Description of risk phrases set out in paragraph 3

R31 = Contact with acids liberates toxic gas.

R36 = Irritating to eyes.

R37 = Irritating to respiratory system.

Description of hazard statements set out in paragraph 3

H319 = Causes serious eye irritation.

Classification based on data of all mixture components

Main normative references:

Directive 1999/45/EC.

Directive 2001/60/EC.

Regulation 1272/2008/EC.

Regulation 2010/453/EC.

This msds was made in good faith by AEB technical Office on the basis of the information available at the date of the last revision. The person in charge must regularly inform the employees about the specific risks they encounter when using this substance/product. The information contained here relate only to the substance/the preparation indicated and



SAFETY DATA SHEET

Issued on 03/24/2015 - Rel. # 2 on 07/31/2014

GELSOL

9 / 9

In conformity to Regulation (EC) No 453/2010 of 20 May 2010

may not apply if the product is used improperly or in combination with others. Nothing contained herein shall be construed as a guarantee, either express or implied. It is the responsibility of the user to ensure the opportunities and completeness of the information contained herein for their own particular use.

*** this tab annuls and replaces any previous edition. (IIXX0230-CLP)

Changes to the previous edition: § 2.2; § 3.2; § 7.2
