

ANGEL YEAST CO., LTD.

168 Chengdong Avenue, Yichang, Hubei, P.R.China Tel: +86-717-6369 520 E-mail: aie@angelyeast.com https://en.angelyeast.com



Angel Thermal Resistance Alcohol Active Dry Yeast

\mathbb{Y} Description

This product is specifically selected high-quality alcohol yeast resistant to high temperature, alcohol and acid, and can be widely applied in the alcohol, potable spirit brewing that adopts starch bearing materials as dry sweet potato, maize, rice, cassava, sorghum, etc. and saccharine materials as molasses, etc.

Product Characteristics

Temperature tolerance $108^{\circ}F(42^{\circ}C)$. The fermentation can be realized at $82^{\circ}F-108^{\circ}F(28-42^{\circ}C)$. Ethanol tolerance: $\leq 17\%(v/v)$

Acid tolerance: high resistance to acid, produce gas when PH is 2.5, which is favorable for controlling prevent bacteria contamination and improving alcohol productivity. High osmotic pressure tolerance.60% glucose max.

Strong reproductive ability, small consumption.

Item	Index
Moisture	≤6.5%
The rate of living yeast cell	≥75.0%
Total yeast Count (108/g)	≥250
Total bacteria count	≤ 100000
Salmonella	Negative

Application

Direct add yeast in fermentation tank (batch fermentation):

Each liter of mash is inoculated with 0.25-0.3g of dry yeast, and the initial cell count of fermentation mash reaches 5million/ml.

Characteristics

Simple operation, simplified flow Favorable for stable control The probability of bacterial infection is reduced

Specification

500g*20/Caron

\bigcirc Propagation in culture tank

When the equipment and process allow, on the basis of strictly controlling bacterial infection and providing the yeast with the required nutrition, inoculate to ferment after culturing for 8-10 hours, so as to relatively reduce the yeast consumption. In consideration of the aging and degeneration of yeast in the culture process, the optimal inoculation replacement cycle shall be 72 hours.

Nutrition required by yeast culture

Nitrogen source, phosphor source, magnesium ion, zinc ion, etc.