

SAFETY DATA SHEET FORM

Kick Carrageenan T/Micro-T

Section 1 - PRODUCT and COMPANY IDENTIFICATION

1.1 Product Identifier

Product Name: Kick Carrageenan T/Micro-T KICKCARR-T, KICKCARR-MT Product Code(s):

Chemical Name: Mixture Synonyms:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended Product Use:

Used as a fining agent in brewing applications. Not intended for direct consumption Intended for use only by commercial manufacturers. Not intended for retail sale or use by individual consumers.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Distributor: Gusmer Enterprises, Inc.

Postal Address: 81 M Street, Fresno, CA 93721 USA Telephone Number: (01)(559) 485-2692 [USA] (product info) Hours of Operation: Monday - Friday 8:00am-5:00pm PST

1.4 Emergency telephone number Medical Emergency: 911 Chemical Emergency: (800) 424-9300

Section 2 - HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Eye Damage/Irritation: Category 2A

2.2 Label Elements

Hazard Pictogram(s):



Signal Word: Warning

Hazard Statements: Causes serious eve irritation

itionary Statements: Wash hands thoroughly after handling.

Wear eye protection

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center if you feel unwell. Store in a well-wentilated place. Keep container tightly closed. Store lo avel-leventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

Appearance/Odor: Off white to tan. Odorless to slight Other Hazards: Choking hazard if directly ingested Off white to tan. Odorless to slightly marine

Section 3 - COMPOSITION / INFORMATION on INGREDIENTS

Ingredient(s)	Common Name & Synonyms	Percentage	CAS No.
Carrageenan	NA	20-40%	9000-07-1
Sodium Bicarbonate	NA	26-50%	144-55-8
Malic Acid	NA	20-30%	6915-15-7

Any remaining components do not contribute to the hazards of this material.

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret Section 4 - FIRST AID MEASURES

4.1 Description of the first aid measures

Eye Contact: Skin Contact:

Flush eyes with water for at least 15 minutes. Seek medical attention.

Wash with soap and water and rinse for at least 5 minutes.

Move to a well ventilated area. Seek medical attention if breathing becomes difficult. Inhalation:

Ingestion: Accidental direct ingestion may cause choking. Seek immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Eye Contact: Eye irritant. May cause serious eye irritation or eye burns. Avoid direct contact with eyes and excessive dust. Skin Contact:

Skin irritant. Avoid excessive accumulation of product on skin. Excessive airborne dust may cause irritation. Seek medical attention if directly ingested. Choking hazard.

Chronic Effects: NA

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Aspiration or inhalation of this product could cause chemical pneumonitis. Treatment is symptomatic and supportive.

Section 5 - FIREFIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

As in any fire, wear NIOSH-approved self contained breathing apparatus and appropriate protective clothing.

Section 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency proceduresUse personal protective equipment. Avoid dust inhalation and skin contact.

6.2 Environmental precautionsPrevent product from entering drains. Discharge in accordance with federal, state and local laws.

6.3 Methods and materials for containment and cleaning up

Dike spill if material is wet. Product may become slippery when wet. If spill is wet, absorb with inert material If spill is dry, sweep or vacuum. See Section 13 for disposal.

See Section 8 for appropriate personal protective equipment

NIOSH REL



SAFETY DATA SHEET FORM

Kick Carrageenan T/Micro-T

Section 7 - Handling and Storage

Handle in accordance with good industrial hygiene and safety practice. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powdered material can build static electricity when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmosphere. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment if release of airborne dust is expected. See Section 8 for more information.

7.2 Conditions for safe storage, including any incompatibilities

See Section 8 for OSHA permissible exposure limit(s) Section 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

OSHA PEL ACGIH

PEL-TWA 15 mg/m³ Total Dust (PNOR) PEL-TWA 5 mg/m³ Respirable Dust (PNOR) TLV-TWA 10 mg/m3 Inhalable Fraction Particles not otherwise NA classified (PNOC) TLV-TWA 3 mg/m³ Respirable Fraction

8.2 Exposure controls

Normal Handling Conditions

Engineering Controls: For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Respiratory Protection: If dust levels are suspected to be over PEL, wear a NIOSH approved N95 or greater respirator.

Eye Protection: ANSI Z87+ approved dust goggles or safety glasses, if necessary, to avoid eye irritation.

Skin Protection: Cover skin with clothing and/or gloves if skin dryness or irritation occurs.

General Hygiene: Maintain good housekeeping practices, wash hands after handling, avoid direct eye contact.

Section 9 - PHYSICAL and CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical State: Solid

Color: Off white to tan

Odor: Odorless to slightly marine.

Odor Threshold: None

pH: 5-11

Melting / Freezing No Data Available

Point (Specify): Initial Boiling Point & Boiling Range: No Data Available

No Data Available

Flash Point: Evaporation Rate: No Data Available

upper: No Data Available lower: No Data Available No Data Available Flammability (solid, gas):

Explosive Limits: Vapor Pressure: No Data Available

Vapor Density:

Relative Density:

No Data Available
0.5-0.8 g/cc
Soluble in >70°C water. Gels on cooling. Solubility(ies):

Partition Coefficient (noctanol/water):
Auto-ignition Temperature:

No Data Available
No Data Available

Decomposition No Data Available No Data Available No Data Available Oxidizing Properties: Viscosity:

Section 10 - STABILITY and REACTIVITY

10.1 Reactivity

10.2 Chemical stability

Stable in dry, ambient environments.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Avoid humid or hot conditions. 10.5 Incompatible materials

10.6 Hazardous decomposition products

Section 11 - TOXICOLOGY INFORMATION

11.1 Information on toxicological effects

Toxicology Data: The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Acute Toxicity:

Oral LD 50 3500 mg/kg (Rat)

Skin Corrosion/Irritation: Dust can cause irritation if allowed to accumulate.

Respiratory or Skin

Airborne powder in high concentration may cause irritation. See Section 8 for exposure limits. Sensitization:

Indestion: Sodium Bicarbonate - Large does may produce systemic alkalosis and expansion in extracellular fluid volume with edema.

STOT - Single Exposure: Not Classified STOT - Repeated Exposure: Not Classified

Aspiration Hazard: Aspiration may cause chemical pneumonitis. Excessive inhalation of dust can mechanically impede respiration.

11.2 Further Information

Mutagenicity: None Known Productive Toxicity: None Known Carcinogenicity: Not Classified



SAFETY DATA SHEET FORM

Kick Carrageenan T/Micro-T

Section 12 - ECOLOGICAL INFORMATION

- No Data Available
- 12.2 Persistence and degradability Product is biodegradable
- 12.3 Bioaccumulative potentia
- Not expected to bioaccumulate
- 12.4 Mobility in soil
 No Data Available
- 12.5 Other adverse effects No Data Available

Section 13 - DISPOSAL CONSIDERATIONS

Substance: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - TRANSPORTATION INFORMATION

UN Number: Not Applicable Not Applicable Proper Shipping Name: Not Applicable Packing Group: Not Applicable
Marine Pollutant: Not Applicable Other Applicable Information: Not Applicable

Section 15 - REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories:

Malic Acid: TSCA: Yes | DSL: Yes | NDSL: No | EINECS: 230-022-8 | ELINCS: No | NLP: No | PICCS: Yes | ENCS: Yes | AICS: Yes | IECSC: Yes | KECL: Yes | Sodium Bicarbonate: TSCA: Yes | DSL: Yes | NDSL: No | EINECS: 205-633-8 | ELINCS: No | NLP: No | PICCS: Yes | ENCS: Yes | AICS: Yes | IECSC: Yes | KECL: Yes | AICS: Ye

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold reporting levels established by SARA Title III, Section 313. SARA 311/312: See section 2 for more information

California Prop. 65 Components: This product does not contain any Proposition 65 chemicals.

Section 16 - OTHER INFORMATION

Product Names/Number(s):

KICKCARR-T, KICKCARR-MT

Prepared By: Gusmer Enterprises, Inc.

Name of Preparer: Eric Anderson

Title: Director of Safety & Product Compliance

Date: 10/3/2023

DISCLAIMER: While the information in this document is based on data which, to the best of our knowledge, was accurate and reliable at the time of preparation, no responsibility can be accepted by us for errors or omissions. The provision of this information should not be construed as a recommendation to use any of our products in violation of any patent rights or in breach of any statute or regulation. User are advised to make their own determination as to the suitability of this information in relation to their particular purposes and specific circumstances. Since the information contained in this document may be applied under conditions beyond our control, we can accept no responsibility for any loss or damage caused by any person acting or refraining from acting as a result of this information.

GHS Hazard Warning Label

KICK Carrageenan T & Micro T



WarnInG:
Causes serious eye irritation
Causes skin irritation
Causes skin irritation
May cause respiratory irritation
May cause respiratory irritation
Wear protective gloves/protective clothing/eye protection/face protection. Wash
face, hands and any exposed skin thoroughly after handling. Avoid breathing
dust/fume/mist/vapors/spray. Use only outdoors or in a well ventilated area. If in
eyes rinse cautiously with water for several minutes. Remove contact lenses, if
resent and easy to do I few circuitation persists per medical attention I for skir eyes: rinse cautous yw furn water for several minutes. Nemove contact lenses, in present and easy to do. If eye intriation persists get medical attention. If on skir: wash with plenty of water. If skin irritation occurs get medical attention. Take off contaminated clothing. If inhale: Remove person to fresh air and keep comfortable for breathing. Call a poison center if you feel unwell. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container to an approved waste disposal plant.

Gusmer Enterprises Inc., 81 M Street, Fresno, CA 93721 (559) 485-2692
CONSULT SDS FOR ADDITIONAL INFORMATION ON HAZARD V2.0